

Product name:	FRJet filament			Page:
Date of compilation/revision	1. 6. 2023	Version: 2.0	Replaces:	Version: 1.0

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1	Product identifier	
	Product name:	FRJet filament
	Other means of identification:	not available
	Registration number:	not required, the product is a mixture, not a compound
1.2	Relevant identified uses of the substance or mixture and uses advised against	
	Identified uses:	material for 3D-printing
	Uses advised against:	not set
1.3	Details of the supplier of the safety data sheet	
	Distributor: (responsible for marketing)	Zemědělské družstvo Haňovice Haňovice 18 783 21 Chudobín Czech Republic tel.: +420 585 100 308 e-mail: info@plastymladec.cz web: www.filament-pm.com
	Competent person responsible for the safety data sheet:	PharmDr. Vladimír Végh, PHARMIS, info@pharmis.cz
1.4	Emergency telephone number	
		Toxicology Information Centre, Na Bojišti 1, Praha; 24-h non-stop: +420-224919293 / +420-224915402. Information only on health risks: acute intoxications of people / animals.

SECTION 2: HAZARDS IDENTIFICATION

General classification of the mixture: based on the composition and calculation methods of classification the mixture is classified as hazardous in compliance with the Regulation (EC) 1272/2008. However, because of the polymeric form of the product, the release of hazardous compounds is not expected and the mixture does not present a hazard to human health by inhalation, ingestion or contact with skin or to the aquatic environment in the form in which it is placed on the market. In accordance with the Article 1.3.4, Annex I, Regulation (EC) 1272/2008 the mixture does not require a label according to the Regulation (EC) 1272/2008.

2.1	Classification of the substance or mixture	
	Classification in accordance with 1272/2008/EC:	STOT RE 2 Specific target organ toxicity - repeated exposure, category 2 H373 May cause damage to organs through prolonged or repeated exposure.
2.2	Label elements	
	Contains:	In accordance with the Article 1.3.4, Annex I, Regulation (EC) 1272/2008 the mixture does not require a label according to the Regulation (EC) 1272/2008.
	Hazard pictograms:	In accordance with the Article 1.3.4, Annex I, Regulation (EC) 1272/2008 the mixture does not require a label according to the Regulation (EC) 1272/2008.
	Signal word:	In accordance with the Article 1.3.4, Annex I, Regulation (EC) 1272/2008 the mixture does not require a label according to the Regulation (EC) 1272/2008.
	Hazard statements:	In accordance with the Article 1.3.4, Annex I, Regulation (EC) 1272/2008 the mixture does not require a label according to the Regulation (EC) 1272/2008.
	Supplemental hazard information:	In accordance with the Article 1.3.4, Annex I, Regulation (EC) 1272/2008 the mixture does not require a label according to the Regulation (EC) 1272/2008.
	Supplemental label elements for certain mixtures:	In accordance with the Article 1.3.4, Annex I, Regulation (EC) 1272/2008 the mixture does not require a label according to the Regulation (EC) 1272/2008.

Product name:	FRJet filament			Page:
Date of compilation/revision	1. 6. 2023	Version: 2.0	Replaces:	Version: 1.0

Precautionary statements:	In accordance with the Article 1.3.4, Annex I, Regulation (EC) 1272/2008 the mixture does not require a label according to the Regulation (EC) 1272/2008.
Other required labeling:	not required

2.3 Other hazards
 Results of PBT and vPvB assessment: The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, Annex XIII. No substances presented in the mixture at a concentration ≥ 0.1 % by weight are included in the Candidate List of SVHC.

No substances presented in the mixture at a concentration ≥ 0.1 % by weight are included in the list established in accordance with Article 59(1) for having endocrine disrupting properties; nor are they identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

Important health effects:	No adverse effects for human health are expected for the mixture under normal conditions of usage, the mixture is biologically inert. When melted, it can cause serious burns if contacted with skin and eyes. Ingestion of a small amount should not cause any troubles. Inhaling of loosen dust or potential decomposition products of melted/overheated mixture in high concentration can irritate moderately respiratory system and mucous membranes.
---------------------------	---

Important environmental effects:	No adverse effects in the environment are expected for the mixture; the mixture is almost biologically inert. Within the environment the mixture underlies very slow biological decomposition.
----------------------------------	--

Important physico-chemical effects:	Not known.
-------------------------------------	------------

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Product based on glycol modified polyethylene terephthalate (PETG) with additives.

3.1 Substances
does not apply

3.2 Mixtures
 Substances presenting a health or environmental hazard within the meaning of the Regulation (EC) No. 1272/2008, assigned a Community/national workplace exposure limit, classified as PBT/vPvB or included in the Candidate List of SVHC, identified as having endocrine disruptive properties:

Substance <i>REACH Registration number</i>	Content (% w/w)	EC Number CAS Number Index Number	Classification 1272/2008/EC*	Exposure limits
aluminium hypophosphite <i>REACH No.: 01-0000020003-90-0000</i>	10 - 20	479-150-8 7784-22-7 -	Flam. Sol. 1 Aquatic Chronic 3 H228 H412	-
1,3,5-triazine-2,4,6(1H,3H,5H)trione, compound with 1,3,5-triazine-2,4,6)triamine (1:1) <i>REACH No.: 01-0000020003-90-0000</i>	10 - 20	253-575-7 37640-57-6 -	STOT RE 2 H373	-

* For full wording of used classification abbreviations and Hazard Statements (H-phrases) see Section 16.

Other compounds
 Other substances not presenting a health or environmental hazard within the meaning of Regulation (EC) No. 1272/2008, without a Community workplace exposure limit, not classified as PBT/vPvB nor included in the Candidate List:

Substance <i>REACH Registration number</i>	Content (% w/w)	EC Number CAS Number Index Number	Classification 1272/2008/EC*	Exposure limits
glycol modified polyethylene terephthalate (PETG) <i>REACH not available yet</i>	< 100	polymer - -	not classified as hazardous	-

Product name:	FRJet filament			Page:
Date of compilation/revision	1. 6. 2023	Version: 2.0	Replaces:	Version: 1.0 - 3/11 -

SECTION 4: FIRST AID MEASURES

4.1	Description of first aid measures Health hazard is no minimal, being neither irritating, corrosive, volatile, nor toxic. Effects of over exposure: There are no hazards under normal use conditions. Observe all user considerations and safety measures stated on the packaging. In case of any health problem or uncertainty seek medical attention and provide information from this Material Safety Data Sheet. Unconscious persons place in the stabilized position and observe the breathing. Never give any fluids to unconscious persons. Be careful when manipulating hot products - danger of skin burns.
Inhalation:	No adverse effects are expected under normal conditions of use. Direct inhalation exposure is not expected. Dust or potential decomposition products of melted/overheated mixture in high concentration can cause airway irritation. In this case remove the affected persons to a fresh air. For those providing assistance, avoid exposure to yourself or others. Use adequate respiratory protection. If respiratory irritation, dizziness, nausea, or unconsciousness occurs, seek immediate medical assistance. If breathing has stopped, assist ventilation with a mechanical device or use mouth-to-mouth resuscitation. Call immediately medical emergency.
Skin contact:	No adverse effects are expected under normal conditions of use - no special requirements needed. In case of a skin contact with melted polymer do not remove it from the skin. Cool down the burnt area with a stream of cold water and call the professional medical help.
Eye contact:	No adverse effects are expected under normal conditions of use - no special requirements needed. Dust or potential decomposition products of melted polymer can cause eye irritation. Seek medical advice if the eye irritation persists. Direct contact of eye with melted product can cause serious eye damage. Seek professional medical help immediately.
Ingestion:	No adverse effects are expected under normal conditions of use - no special requirements needed. This type of exposure is not expected.
4.2	Most important symptoms and effects, both acute and delayed No adverse effects for human health are expected for the mixture under normal conditions of usage, the mixture is biologically inert. When melted, it can cause serious burns if contacted with skin and eyes. Ingestion of a small amount should not cause any troubles. Inhaling of loosen dust or potential decomposition products of melted/overheated mixture in high concentration can irritate moderately respiratory system and mucous membranes.
4.3	Indication of any immediate medical attention and special treatment needed No specific therapy known. Use supportive and symptomatic treatment.

SECTION 5: FIREFIGHTING MEASURES

5.1	Extinguishing media
	Suitable extinguishing media: water spray, alcohol resistant foam, dry-powder, carbon dioxide
	Unsuitable extinguishing media: direct water stream - could spread fire
5.2	Special hazards arising from the substance or mixture Not flammable (classification V-0, EN 60695-11-10 ed.2). Contains flame retardants. In case of fire in the surrounding incomplete combustion and thermolysis may produce toxic, irritating and flammable decomposition products (such as carbon monoxide, carbon dioxide, sooth, aldehydes and other products of organic compounds decomposition, phosphorous oxides). Do not inhale smokes.
5.3	Advice for fire-fighters <u>Fire Fighting Procedures:</u> Keep people away. Isolate fire and deny unnecessary entry. Use water spray to cool fire exposed containers and fire affected zone until fire is out and danger of re-ignition has passed. Fight fire from protected location or safe distance. Move container from fire area if this is possible without hazard. If possible, avoid leaked water to enter sewage system or environment. <u>Special Protective Equipment for Firefighters:</u> Wear positive-pressure self-contained breathing apparatus (SCBA) and protective firefighting clothing (includes firefighting helmet, coat, trousers, boots, and gloves). Avoid contact with this material during firefighting operations. If contact is likely, change to full chemical resistant firefighting clothing with self-contained breathing apparatus. For protective equipment in post-fire or non-fire clean-up situations, refer to the relevant sections 6 and 8.

Product name:	FRJet filament			Page:
Date of compilation/revision	1. 6. 2023	Version: 2.0	Replaces:	Version: 1.0
				- 4/11 -

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1	Personal precautions, protective equipment and emergency procedures No special requirements are needed. Observe all user considerations and safety measures. All unprotected persons should be restraint. Additional protective measures may be necessary, depending on the specific circumstances and/or the expert judgment of the emergency responders.
6.2	Environmental precautions No special requirements are needed.
6.3	Methods and materials for containment and cleaning up Collect mechanically. All storage vessels have to be labeled. Dispose according to valid legislation (see Section 13); recycle.
6.4	Reference to other sections Adhere to instructions in the section 8 and 13.

SECTION 7: HANDLING AND STORAGE

7.1	Precautions for safe handling Observe all user considerations, safety measures and exposure limits. See Section 8 for advice on the minimum requirements for personal protective equipment. Avoid breathing decomposition products or loosened dust. Use only with adequate ventilation. Observe all fire protection measures (work with open flame is prohibited, remove all possible sources of ignition, smoking is prohibited). During the product's thermal treatment small amounts of volatile organic compounds may be released. Thus suction and discharge of these emissions must be locally secured. Dust from the product represents a potential explosion hazard and as such it must be continuously removed. All devices must be properly grounded.
7.2	Conditions for safe storage, including any incompatibilities Observe all fire protection measures (work with open flame is prohibited, remove all possible sources of ignition, smoking is prohibited). Keep away from direct sunlight and heat sources.
7.3	Specific end uses material for 3D-printing

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1	Control parameters	
	Indicative occupational exposure limit EU: not set	
	<i>CAS</i>	<i>Substance name</i>
	-	-
	<i>Indicative occupational exposure limit</i>	
	-	
	National work-place / occupational exposure limits (only selected lands are displayed):	
	<i>CAS</i>	<i>Substance name</i>
	-	glycol modified polyethylene terephthalate (PETG) as: <i>polymeric materials dust</i>
		<i>Occupational exposure limits</i>
		Czech republic PELc 5.0 mg.m ⁻³ (Government Regulation no. 361/2007 Coll.)
	* because of physical status, this type of exposure is not expected, however mechanical grinding/ cutting can release the dust	
	Indicative biological limits: not set	
	Other recommended values: not set	
	<i>CAS</i>	<i>Substance name</i>
	-	-
		<i>OEL - equivalents</i>
		-

Product name:	FRJet filament			Page:
Date of compilation/revision	1. 6. 2023	Version: 2.0	Replaces:	Version: 1.0 - 5/11 -

	Derived No Effect Level (DNEL): not available for the mixture. Compounds: <u>aluminium hypophosphite</u> <i>workers / professional users</i> inhalation, systemic effects: 0,8 mg/m ³ dermal, systemic effects: 3 mg/kg bw/day
	Predicted No Effect Concentration (PNEC): not available for the mixture. Compounds: <u>aluminium hypophosphite</u> Fresh water 100 µg/l Marine 10 µg/l Intermittent release 1 mg/l Sewage Treatment Plant 10 mg/l
8.2	Exposure controls <u>Appropriate engineering controls:</u> Avoid contact with skin, eyes and mucous membranes. Avoid prolonged or repeated contact with skin. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Discard contaminated clothing and footwear that cannot be cleaned. Personal protective equipment selections vary based on potential exposure conditions such as applications, handling practices, concentration and ventilation. Information on the selection of protective equipment for use with this material, as provided below, is based upon intended, normal usage. <u>Individual protection measures, such as personal protective equipment:</u> a) Eye / face protection No special requirements are needed under normal conditions of usage. Avoid contact with eyes. If risk of eye contact exists, use safety glasses with side shields (EN 166). b) Skin protection: No special requirements are needed under normal conditions of usage. When manipulating with heated/hot material use heat isolating gloves made of para-aramid/carbon with thermal isolation up to 270°C and forearm protection. Example of recommended gloves: KCL, Karbo TECT with leather forearm cuffs, with thermal isolation up to 350°C. NOTICE: The selection of a specific glove for a particular application and duration of use in a workplace should also take into account all relevant workplace factors such as, but not limited to: Other chemicals which may be handled, physical requirements (cut/puncture protection, dexterity, thermal protection), potential body reactions to glove materials, as well as the instructions/specifications provided by the glove supplier. Immediately change damaged gloves c) Respiratory protection: No special requirements are needed under normal use conditions. Ensure appropriate ventilation or exhaustion at the workplace. Do not inhale decomposition products from overheated product or dust produced by mechanical operations. If engineering controls do not maintain airborne contaminant concentrations at a level which is adequate to protect worker health, an approved respirator may be appropriate. Respirator selection, use, and maintenance must be in accordance with regulatory requirements, if applicable. Types of respirators to be considered for this material include: half-face particle filter respirator, type P1 or FFP1 filter (European Committee for Standardization (CEN) standards EN 136, 140 and 405 provide respirator masks and EN 149 and 143 (EN 14387+A1) provide filter recommendations). d) Thermal hazards: No such risk when normally used.
	<u>Environmental exposure controls:</u> Comply with applicable environmental regulations limiting discharge to air, water and soil. Protect the environment by applying appropriate control measures to prevent or limit emissions. All storage and manipulation are have to be equipped for the sanitation of possible leakage. See information in sections 6 and 12.

Product name:

FRJet filament

Page:

Date of compilation/revision

1. 6. 2023

Version: 2.0

Replaces:

Version: 1.0

- 6/11 -

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES
9.1 Information on basic physical and chemical properties

Properties	value	method / condition
Physical state:	solid wire	20°C
Colour:	various / according to specification	-
Odour:	no odour	-
Melting point/freezing point:	210°C	-
Boiling point/range or initial boiling point:	information not available	-
Flammability:	information not available	-
Upper/lower flammability or explosive limits:	information not available	-
Flash point:	information not available	-
Auto-ignition temperature:	information not available	-
Decomposition temperature:	information not available	-
pH:	information not available	-
Kinematic viscosity:	information not available	-
Solubility:	insoluble in water soluble in 1,2 dichloroethane, toluene, tetrahydrofuran	water, 20°C
Partition coefficient: n-octanol/water:	information not available	-
Vapour pressure:	information not available	-
Density and/or relative density:	1,24 g/cm ³	ISO 1183/B
Relative vapour density:	information not available	-
Particle characteristics:	not applicable	-

9.2 Other information

Vicat softening temperature:	85°C	ISO 306
Heat deflection temperature:	70°C	ISO 75
Explosive properties:	no explosive properties	-
Oxidising properties:	no oxidative properties	-

SECTION 10: STABILITY AND REACTIVITY
10.1 Reactivity

Not reactive under normal conditions of storage and manipulation.

10.2 Chemical stability

Mixture is chemically stable under normal conditions of storage and manipulation. Overheating may cause thermal decomposition.

10.3 Possibility of hazardous reactions

Not known.

10.4 Conditions to avoid

Not known.

10.5 Incompatible materials

Not known.

Product name:	FRJet filament			Page:
Date of compilation/revision	1. 6. 2023	Version: 2.0	Replaces:	Version: 1.0 - 7/11 -

10.6 Hazardous decomposition products
Material does not decompose at ambient temperatures. Incomplete combustion and thermolysis may produce toxic, irritating and flammable decomposition products (such as carbon monoxide, carbon dioxide, sooth, aldehydes and other products of hydrocarbons decomposition).

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
No adverse effects for human health are expected for the mixture under normal conditions of usage, the mixture is biologically inert.

a) <i>Acute toxicity</i>
Based on available data, the classification criteria are not met. Based on composition, the mixture has low acute toxicity and no adverse effects for human health are expected under applicable conditions of exposure.

Compounds:

aluminium hypophosphite

LD50, oral, rat: > 2000 mg/kg

LD50, dermal, rat: > 2000 mg/kg

 LD50, inhalation, rat: 3300 mg/m³ (4 h)

1,3,5-triazine-2,4,6(1H,3H,5H)trione, compound with 1,3,5-triazine-2,4,6-triamine (1:1)

LD50, oral, rat: > 2000 mg/kg

LD50, dermal, rat: > 2000 mg/kg

b) <i>Skin corrosion/irritation</i>
Based on available data, the classification criteria are not met. The mixture has no direct corrosive / irritating properties. Melted product may cause serious burns following the contact with the skin.

c) <i>Serious eye damage/irritation</i>
Based on available data, the classification criteria are not met. The mixture has no direct corrosive / irritating properties. Melted product may cause serious burns following the contact with the eyes.

d) <i>Respiratory or skin sensitisation</i>
Based on available data, the classification criteria are not met.

e) <i>Germ cell mutagenicity</i>
Based on available data, the classification criteria are not met.

f) <i>Carcinogenicity</i>
Based on available data, the classification criteria are not met.

g) <i>Reproductive toxicity</i>
Based on available data, the classification criteria are not met.

h) <i>STOT-single exposure</i>
Based on available data, the classification criteria are not met. Inhalation of dust loosened dust during manipulation can mechanically irritate airways. However, these effects do not require classification.

i) <i>STOT-repeated exposure</i>
May cause damage to organs through prolonged or repeated exposure. Because of the polymeric form of the product, the release of hazardous compounds is not expected and the mixture does not present a hazard to human health by inhalation, ingestion or contact with skin

j) <i>Aspiration hazard</i>
Based on available data, the classification criteria are not met.

11.2 Information on other hazards
<i>Endocrine disrupting properties</i>
No substances presented in the mixture at a concentration ≥ 0.1 % by weight are included in the list established in accordance with Article 59(1) for having endocrine disrupting properties; nor are they identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

Product name:	FRJet filament			Page:
Date of compilation/revision	1. 6. 2023	Version: 2.0	Replaces:	Version: 1.0 - 8/11 -

Other information

Not available.

SECTION 12: ECOLOGICAL INFORMATION

No adverse effects in the environment are expected for the mixture; the mixture is biologically almost inert.

12.1 Toxicity

No data measured for the mixture. No adverse effects in the environment are expected for the mixture; the mixture is almost biologically inert.

Compounds:

aluminium hypophosphite

LC50, fish, 96 h:	> 100 mg/l (<i>Danio rerio</i>)
EC50, water invertebrates, 48 h:	> 100 mg/l (<i>Daphnia magna</i>)
EC50, green algae, 48 h:	> 100 mg/l (not specified)

1,3,5-triazine-2,4,6(1H,3H,5H)trione, compound with 1,3,5-triazine-2,4,6)triamine (1:1)

LC50, fish, 96 h:	> 100 mg/l (<i>Danio rerio</i>)
EC50, water invertebrates, 48 h:	> 100 mg/l (<i>Daphnia magna</i>)

12.2 Persistence and degradability

Within the environment, it is almost inert material with a very slow decomposition.

12.3 Bioaccumulative potential

The mixture has no bioaccumulative potential.

Compounds:

aluminium hypophosphite

log P _{o/w} :	< -3.05
------------------------	---------

1,3,5-triazine-2,4,6(1H,3H,5H)trione, compound with 1,3,5-triazine-2,4,6)triamine (1:1)

log P _{o/w} :	2.28
bioconcentration factor (BCF):	< 3.8

12.4 Toxicity

No data measured for the mixture. No adverse effects in the environment are expected for the mixture; the mixture is almost biologically inert.

Compounds:

aluminium hypophosphite

LC50, fish, 96 h:	> 100 mg/l (<i>Danio rerio</i>)
EC50, water invertebrates, 48 h:	> 100 mg/l (<i>Daphnia magna</i>)
EC50, green algae, 48 h:	> 100 mg/l (not specified)

1,3,5-triazine-2,4,6(1H,3H,5H)trione, compound with 1,3,5-triazine-2,4,6)triamine (1:1)

LC50, fish, 96 h:	> 100 mg/l (<i>Danio rerio</i>)
EC50, water invertebrates, 48 h:	> 100 mg/l (<i>Daphnia magna</i>)

12.5 Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII; the substances in the mixture are not included in the Candidate List of SVHC

12.6 Endocrine disrupting properties

 No substances presented in the mixture at a concentration ≥ 0.1 % by weight are included in the list established in accordance with Article 59(1) for having endocrine disrupting properties; nor are they identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

12.7 Other adverse effects

Not known.

Product name:	FRJet filament			Page:
Date of compilation/revision	1. 6. 2023	Version: 2.0	Replaces:	Version: 1.0 - 9/11 -

SECTION 13: DISPOSAL CONSIDERATIONS
13.1 Waste treatment methods

It is recommended to dispose all rests in authorized dangerous waste facility. Disposal has to comply all local legal requirements on wastes.

Substance or mixture disposal methods:

Dispose in accordance with the valid waste legislation. Do not dispose as a common household waste. Dispose in a certified waste facility / recycle. According to the European Waste Catalogue waste codes are not specific for product, but for its use. Therefore, appropriate waste code should assign final user according to his specific use.

Proposed waste classification, based on the most common use:

07 Wastes from Organic Chemical Processes

07 02 wastes from the MFSU of plastics, synthetic rubber and man-made fibres

Waste type name: waste plastic

Waste catalog code: 07 02 13

Hazardous waste: no

Packages disposal methods:

Recycle empty packages.

Proposed waste classification, based on the most common use:

15 Waste packaging; absorbents, wiping cloths, filter materials and protective clothing not otherwise specified

15 01 packaging (including separately collected municipal packaging waste)

Waste type name: paper and card board packaging / plastic packaging

Waste catalog code for empty package: 15 01 01 / 15 01 02

Dangerous waste: no

SECTION 14: TRANSPORT INFORMATION

The substance **is not** classified as dangerous for transport according to ADR/RID/IMDG/ICAO/IATA.

14.1 UN Number or ID Number:	-			
14.2 UN proper shipping name				
	<i>Road transport ADR</i>	<i>Rail transport RID</i>	<i>Int. maritime trans. IMDG</i>	<i>Air transport ICAO/IATA</i>
	-	-	-	-
14.3 Transport hazard class(es)				
	<i>Road transport ADR</i>	<i>Rail transport RID</i>	<i>Int. maritime trans. IMDG</i>	<i>Air transport ICAO/IATA</i>
	-	-	-	-
Classification code				
	-	-	-	-
Hazard identification number (Kemler)				
	-	-	-	-
Labels				
	-	-	-	-
Other remarks				
	-	-	-	-
14.4 Packing group				
	<i>Road transport ADR</i>	<i>Rail transport RID</i>	<i>Int. maritime trans. IMDG</i>	<i>Air transport ICAO/IATA</i>
	-	-	-	-

Product name:	FRJet filament			Page:
Date of compilation/revision	1. 6. 2023	Version: 2.0	Replaces:	Version: 1.0 - 10/11 -

14.5	Environmental hazards: no
14.6	Special precautions for user: not required
14.7	Maritime transport in bulk according to IMO instruments: not transported

SECTION 15: REGULATORY INFORMATION

15.1	Safety, health and environmental regulations/legislation specific for the substance or mixture <u>Relevant legislation European Union:</u> <ul style="list-style-type: none"> - Regulation (EC) No 1907/2006 of the European Parliament and of the , concerning the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH) - Regulation EC No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 - Commission Regulation (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) - Commission Directive 2000/39/EC of 8 June 2000 establishing a first list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work - Commission Directive 2006/15/EC of 7 February 2006 establishing a second list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC and amending Directives 91/322/EEC and 2000/39/EC - Commission Directive 2009/161/EU of 17 December 2009 establishing a third list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC and amending Commission Directive 2000/39/EC - Commission Directive (EU) 2017/164 of 31 January 2017 establishing a fourth list of indicative occupational exposure limit values pursuant to Council Directive 98/24/EC - Commission Directive (EU) 2019/1831 of 24 October 2019 establishing a fifth list of indicative occupational exposure limit values pursuant to Council Directive 98/24/EC and amending Commission Directive 2000/39/EC - Directive 2004/37/EC of the European Parliament and of the Council of 29 April 2004 on the protection of workers from the risks related to exposure to carcinogens or mutagens at work - European Waste Catalogue - Council Directive 1999/13/EC of 11 March 1999 on the limitation of emissions of volatile organic compounds due to the use of organic solvents in certain activities and installations - Regulation (EU) No 526/2013 of the European Parliament and of the Council of 21 May 2013 concerning the European Union Agency for Network and Information Security (ENISA) and repealing Regulation (EC) No 460/2004
-------------	---

Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles: none

<i>Designation of the substance, of the group of substances or of the mixture</i>	<i>Conditions of restriction</i>
aluminium hypophosphite <i>REACH No.: 01-0000020003-90-0000</i>	Regulation EC 1907/2006, Annex XVII, Article 3 Regulation EC 1907/2006, Annex XVII, Article 40
1,3,5-triazine-2,4,6(1H,3H,5H)trione, compound with 1,3,5-triazine-2,4,6)triamine (1:1) <i>REACH No.: 01-0000020003-90-0000</i>	Regulation EC 1907/2006, Annex XVII, Article 3

15.2	Chemical safety assessment Chemical safety assessment not carried yet
-------------	---

SECTION 16: OTHER INFORMATION

a)	<i>Changes made to the previous version of the safety data sheet</i> Not applicable, first edition - version 1.0
	<i>Key or legend to abbreviations and acronyms used in the safety data sheet</i> Flam. Sol. 1 Flammable solid, category 1 STOT RE 2 Specific target organ toxicity — repeated exposure, category 2 Aquatic Chronic 3 Hazardous to the aquatic environment, category 3

Product name:	FRJet filament			Page:
Date of compilation/revision	1. 6. 2023	Version: 2.0	Replaces:	Version: 1.0 - 11/11 -

	Exp. lim.	Exposure limit
	NPEL	The highest permissible exposure limit (Slovak Republic)
	PEL	The highest permissible exposure limit (Czech Republic)
	OEL	Occupational exposure limit
	PBT	Substances persistent, bioaccumulative and toxic
	vPvB	Substances very persistent and very bioaccumulative
	VOC	Volatile organic compound
	DNEL	Derived No Effect Level
	PNEC	Predicted No Effect Concentration
	BW	Body weight
	LD50	Median lethal Dose
	LC50	Median lethal concentration
	EC50	Half maximal effective concentration
	IC50	Half maximal inhibitory concentration
	ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
	RID	International Rule for Transport of Dangerous Substances by Railway
	IMDG	International Maritime Dangerous Goods Code
	ICAO	International Civil Aviation Organization
	IATA	International Air Transport Association
c)	<i>Key literature references and sources for data</i> No information	
d)	<i>Methods of evaluating information used for the purpose of classification</i> The substance was classified by expert judgment and conventional calculations methods in accordance with the Regulation EC No. 1272/2008 (CLP).	
e)	<i>Full wording of used Hazard Statements (H-phrases)</i> H228 Flammable solid. H373 May cause damage to organs through prolonged or repeated exposure H412 Harmful to aquatic life with long lasting effects	
f)	<i>Advice on any training appropriate for workers</i> Before handling, storing or using the present substance for the first time, employees must be informed - common training for handling chemicals, occupational safety training.	
g)	<i>Other information</i> Safety Data Sheet (SDS) is compiled in accordance with the Regulation EC No. 1907/2006 (REACH), Regulation EC No. 1272/2008 (CLP) and Commission Regulation EU No. 2020/878; and contains information on safety use, occupational health protection, and environmental protection. The information contained herein is given in good faith and is accurate to the best of knowledge at the date indicated above. This particular information applies on the product as supplied and may not be valid in mixtures with other substances. If used for other purposes as identified in this SDS, the distributor is not liable for any damage. The information given herein in no way dispenses the user from knowing and applying all provisions regulating his activity. The user bears sole liability for the precautions required when using the product. The regulatory texts indicated herein are intended to aid the user to fulfill his obligations. This list is not to be considered complete and exhaustive. It is the user's responsibility to ensure that he is subject to no other obligations than those mentioned. Compiled: PharmDr. Vladimír Végh, PHARMIS, www.pharmis.cz	